ADMINISTRATIVE BULLETIN

NO. AB-023

DATE: September 9, 2008 [This bulletin supersedes Code Ruling BC-306(a) 21A-D1,

(revised) dated April 8, 1991]

SUBJECT: Plan Review; Permit Process

TITLE : Crane Site Safety Plan / Tower Crane Foundation and Attachment permit

PURPOSE: The purpose of this Administrative Bulletin is to detail procedures regarding tower

crane safety which comply with the intent of 2007 San Francisco Building Code

Section 1704.19.

Implementation of the intent of the code requires that a contractor identify the location of proposed crane operations on a Crane Site Safety Plan and agree to comply with all applicable tower crane safety regulations; to require the presence of a safety representative during tower crane erection, jumping, and dismantling and to prohibit, without prior agreement with DBI, DPW, MTA, the controlling contractor and the crane erector, these operations during typical rush hours; to require employment of a flag-person to redirect traffic when loads are lifted over public streets and walkways during typical rush hours; and to require the review, approval and permitting of the structural elements of tower crane foundations and tie-in attachments.

REFERENCE: 2007 San Francisco Building Code,

Section 1704.19

Administrative Bulletin AB-046: Special Inspection and Structural Observation

Procedures

Title 8, Occupational Safety and Health Regulations (CAL/OSHA), subchapter 5

and 7, Cranes.

Title 8, Group 13, General Industry Safety Orders, Article 96, Tower Cranes re: Requirements for erection, dismantling, operation, tests/examination of

equipment and accessory gear.

DISCUSSION: Following a tower crane collapse in November 1989, the State of California

passed legislation regulating certain tower crane operations. The San Francisco Board of Supervisors approved an ordinance, based on that state legislation, that added a section regarding tower crane safety requirements to the San

Francisco Building Code (SFBC).

Crane safety remains under the jurisdiction of the California Occupational Safety and Health Administration (Cal/OSHA), which requires an erection permit prior to the construction of foundation, anchorage and the erection of a tower crane. A Cal/OSHA operational permit is also required prior to the crane operation. While the San Francisco Department of Building Inspection (DBI) has no authority over, and its employees have no expertise in, the regulation of tower cranes, the following forms and procedures were developed to administer the San Francisco Building Code requirements.

Definitions

For the purposes of this Administrative Bulletin, the following definitions apply:

- 1. *Contractor* is the building contractor, licensed by the State of California, responsible for tower crane site safety for the project.
- 2. Tower crane is a crane in which a boom, swinging (slewing) jib, or other structural member is mounted on a vertical mast or tower, and includes the following subcategories as defined by Cal/OSHA General Industry Safety Orders, Article 91, 4885(U)(1-4):
 - a. Tower crane (climber) is a crane that may be raised or lowered to different floors or levels of the building or structure, that is erected upon, near to, and/or supported by a building or other structure.
 - b. Tower crane (free standing) is a crane with a horizontally swinging or luffing boom which may be on a fixed base or mounted on rails and not attached to any other structure.
 - c. Tower crane (mobile) is a tower crane which is mounted on a crawler, truck or similar carrier for travel or transit.
 - d. *Tower crane (self-erector)* is a mobile tower crane that is truck-carrier mounted and capable of self-erection.
- 3. *Jumping* (climbing) a crane is the process of increasing or decreasing the height of a tower crane by raising the upper (slewing) section and inserting or removing modular tower sections beneath it.
- 4. Safety Representative shall mean a safety representative of the crane manufacturer, distributor, or a representative of a licensed crane certifier as per Cal/OSHA requirements.

General Requirements

A Crane Site Safety Plan and Tower Crane Foundation and Attachment Permit application shall be submitted to the Plan Review Services (PRS) Division for review, approval and issuance of a Tower Crane Foundation and Attachment Permit prior to the erection of the crane.

This administrative bulletin shall apply to climber tower cranes and to free standing tower cranes; mobile tower cranes and self-erector tower cranes are exempt from these regulations, but must meet all Cal/OSHA requirements.

Procedure

For the review, approval and issuance of a Tower Crane Foundation and Attachment Permit, the following procedure shall be used;


- 1. The contractor shall submit to DBI two copies of the following:
 - Crane Site Safety Plan Submittal Form and Safety Compliance Agreement (Attachment A)
 - Plans showing street locations, crane location, path of boom swing, designated loading areas and designated staging areas. Note: A site plan showing which streets will be impacted by the moving, erection, and operation of the tower crane is required by DPW in order to obtain a street use permit for crane erection. That site plan can be used as the crane site safety plan by adding the additional information noted above.
 - Completed permit application form for tower crane foundation and attachment.
 - Plans showing tower crane foundation and building tie-in attachment details
 - · Structural calculations supporting the design shown on the plans

- The plans examiner will review the submittals to determine that all documents comprising the Crane Site Safety Plan are complete and the Submittal Forms and Safety Compliance Agreements are signed by a California licensed contractor or civil engineer where required. If the documents are not complete they will be returned to the contractor for correction and resubmittal.
- 3. If the tower crane foundation was not included in the approved building permit or the approved foundation addendum to a site permit, then the tower crane foundation shall be included as part of the Crane Site Safety Plan / Tower Crane Foundation and Attachment permit. The contractor shall submit to DBI for review, drawings and calculations for the tower crane foundation prepared by a civil engineer licensed in the State of California. If the foundation was included in the approved building permit or the approved foundation addendum to a site permit, the application shall reference such plans and calculations.
- 4. If the tower crane attachments (tie-ins) are required but not included in the approved building permit or the approved superstructure addendum to a site permit, then the attachments shall be included as part of the Crane Site Safety Plan / Tower Crane Foundation and Attachment permit. The contractor shall submit to DBI for review, drawings and calculations for the tower crane attachments (tie-ins) prepared by a civil engineer licensed in the State of California. If the attachments were included in the approved building permit or the approved superstructure addendum to a site permit, the application shall reference such plans and calculations.
- 5. If the submittal documents are in compliance with all applicable codes and this administrative bulletin, the plans examiner shall stamp as "approved" both copies of the submitted Crane Site Safety Plan / Tower Crane Foundation and Attachment permit documents.
- 6. The plans examiner shall attach these documents to the approved Crane Site Safety Plan / Tower Crane Foundation and Attachment permit for inclusion in the permanent project record and shall provide one copy to the contractor for posting at the job site..
- 7. The contractor shall submit to DBI a copy of a tower crane inspection certificate issued by a Cal/OSHA approved inspection agency following erection of the tower crane and prior to its use. This may be done by mail or in person. This submittal must indicate the site permit or building permit application number for the project and the application number for the Tower Crane Foundation and Attachment Permit.
- 8. All special inspections and structural observations required for the crane foundation and crane attachments shall be listed in the application and shall be attached to the Crane Site Safety Plan / Tower Crane Foundation and Attachment permit. Copies of the special inspections reports shall be maintained by the contractor, posted at the job site, and forwarded to DBI. The contractor shall verify that all required special inspections and structural testing results are documented and determined to be in conformance with design specifications. The crane erector shall be provided such documents prior to erection or climbing of a tower crane.
- 9. All documents submitted to DBI related to the Crane Site Safety Plan / Tower Crane Foundation and Attachment permit shall be archived as part of the approved permit documents.

Approved by the Building Inspection Commission September 18, 2002 Originally signed by: Frank Y. Chiu, Director October 3, 2002

Revised by: Raymond Lui, Deputy Director Plan Review Services Program September 9, 2008 Effective Date: October 1, 2008

Attachment: Crane Site Safety Plan Submittal Form and Crane Safety Compliance Agreement.



CRANE SITE SAFETY PLAN SUBMITTAL FORM & CRANE SAFETY COMPLIANCE AGREEMENT

[Attach form to each copy of plans submitted]

Project	t Address	Permit Application	No	_ Date	
Name	of Applicant			Phone	
□ A.	Attached are two (2) copies of a Crane Site Safety Plan which includes the required information, circled and marked with applicable numbers on the plans:				
	1. Location of tower crane of	on the construction site			
	2. Path of the boom swing			₩	
	3. Location of crane-related	designated loading areas			
	4. Location of crane-related	designated storage areas			
		and attachment design and d foundation, superstructure ac			
	6. Special Inspections forms	s per AB-046.			
□ B.	Copy of Cal/OSHA permit for the erection and operation of a crane is attached, <u>or proof that such</u> <u>permit has been applied for</u> , and, if required, a copy of California crane operator(s) license(s).				
□ C.	I will comply with all of the fol	lowing requirements:			
	1. Applicable CAL/OSHA sa	afety requirements.			
	2. Crane manufacturer safe	ty requirements.	Ť		
	a crane without a safety r	hall not allow installing, incre representative of the crane m being present on site for con	anufacturer, distributo	r, or a representative of	
	I shall not allow installing weekday hours (excluding	nt prior agreement with DBI, I , increasing the height ("jump g holidays) of 7:00 a.m. to 9:0 pur after sunrise or later than	oing"), or dismantling o 00 a.m., between the h	f a crane during the	
	the hours of 7:00 a.m. thr	re that no crane will lift a load rough 9:00 a.m. and during the e flow of pedestrian and auto	ne hours of 4:30 p.m. tl	hrough 7:00 p.m. withou	
□ D.	I will submit a copy of the Cal/OSHA operational permit to DBI after erection of the crane and prior to it use.				
□ E.	I understand that failure to co notification of Cal/OSHA of su crane.				
	Contractor responsible for Cr	ane Site Safety	CA Contractor	License No.	
	,	•			
	Contractor representative				

Reviewed by:		Date	
-	DBI Plan Reviewer		

