

### Code Comment Form

<b>Article 89 General Code Provisions 89.101.1 Title</b>				
<b>89.101.1 Title.</b> The provisions contained in this Code shall be known as the <del>2019</del> <u>2022</u> San Francisco Electrical Code, and may be cited as such and will be referred to as "this code."				
<b>COMMENT 1: Code Cycle Change</b>				
Name: Gary Clifton Date: 4/15/22				
Comments/Findings: Update Code Section				
Place an X in one of the following:	Retain as is:	Update as noted:	Revise:	Delete:
		x		
Place an X in one of the following:	More Restrictive:	Less Restrictive:	Neither more nor less:	
			x	
<b>COMMENT 2:</b>				
Name: Date:				
Comments/Findings:				
Place an X in one of the following:	Retain as is:	Update as noted:	Revise:	Delete:
Place an X in one of the following:	More Restrictive:	Less Restrictive:	Neither more nor less:	
Index keywords:				
<b>COMMENT : TSD Analysis</b>				
Name: Date:				
Comments/Findings:				
Place an X in one of the following:	Retain as is:	Update as noted:	Revise:	Delete:
Place an X in one of the following:	More Restrictive:	Less Restrictive:	Neither more nor less:	



Code Comment Form

**Article 89 General Code Provisions Section 89.120 Permits Required**

*89.120 Add the following section:*

**89.120 Permits Required.**

(A) **General.** It shall be unlawful for any person to install, construct, alter, move, add to or replace any electrical installation regulated by this code, except as permitted in Section [89.121](#), without first obtaining a permit from the Department of Building Inspection.

(B) **Nonliability of City and County of San Francisco.** Permits issued under the provisions of this code shall contain or be construed to contain an agreement by the owner of the building, structure or premises, or the owner’s authorized agent, to save City and County of San Francisco officials and employees harmless from all costs, liability and damages resulting, whether directly or indirectly, from anything in connection with the work included in the permit, including equipment, methods of construction, inspections and approvals.

(C) **Application For Permit.** Permit applicants shall file with the Department of Building Inspection an application form furnished for that purpose. The permit application shall show a complete itemization of the proposed electrical installation and the correct address of the job site. Electrical permits may be issued to duly licensed contractors who have registered with the Central Permit Bureau by having their state contractor’s license verified by the Department of Building Inspection, or issued to a homeowner subject to Section [89.120\(E\)](#). A separate permit shall be obtained for each separate building or structure.

See Section [110A](#), Table 1A-E – Electrical Permit Fees – of the Building Code for the applicable fees.

(D) **Illegal Use of Permit.** No person, firm, corporation, or state licensed contractor shall file an application for a permit to install any electrical wiring system unless such person, firm, corporation, or state licensed contractor shall perform such work. The Building Official or the Building Official’s authorized representative shall have the authority to cancel any permit upon finding that it is contrary to this section. The permittee shall be responsible for all work performed.

(E) **Homeowner’s Permit.** A permit for electrical work in or about a single-family dwelling may be issued by the Building Official to a homeowner, provided the work to be done will be performed by the homeowner. If the electrical work performed under the homeowner’s permit does not comply with the requirements of this code and if the corrections are not made as required by the Department of Building Inspection, then the deficiencies shall be corrected by a State licensed electrical contractor under a separate permit.

*Note:* ~~LCC’s~~ LLC’s are not eligible for an Electrical Homeowner’s Permit

(F) **Emergency Work.** Emergency electrical work for the protection of persons or property shall have a permit obtained within one business day of commencing such work.

**COMMENT 1: Correct Typo**

**Name:** Gary Clifton

**Date:** 4/15/22

**Comments/Findings:** Update code section

<b>Place an X in one</b>	<b>Retain as is:</b>	<b>Update as noted:</b>	<b>Revise:</b>	<b>Delete:</b>
--------------------------	----------------------	-------------------------	----------------	----------------

of the following:		x		
Place an X in one of the following:	More Restrictive:	Less Restrictive:	Neither more nor less:	
			x	
<b>COMMENT 2:</b>				
Name:				
Date:				
Comments/Findings:				
Place an X in one of the following:	Retain as is:	Update as noted:	Revise:	Delete:
Place an X in one of the following:	More Restrictive:	Less Restrictive:	Neither more nor less:	
Index keywords:				
<b>COMMENT : TSD Analysis</b>				
Name:				
Date:				
Comments/Findings:				
Place an X in one of the following:	Retain as is:	Update as noted:	Revise:	Delete:
Place an X in one of the following:	More Restrictive:	Less Restrictive:	Neither more nor less:	

Code Comment Form

<b>Article 89 General Code Provisions</b>				
89.115, 89.116, 89.117, 89.118, 89.119, 89.121, 89.122, 89.123, 89.124, 89.125, 89.126, 89.127, 89.128, 89.129				
<b>COMMENT 1: 89.101.1 &amp; 89.120 (E) are on separate forms</b>				
Name: Gary Clifton Date: 4/15/22				
Comments/Findings:				
Place an X in one of the following:	Retain as is:	Update as noted:	Revise:	Delete:
	x			
Place an X in one of the following:	More Restrictive:	Less Restrictive:	Neither more nor less:	
			x	
<b>COMMENT 2:</b>				
Name: Date:				
Comments/Findings:				
Place an X in one of the following:	Retain as is:	Update as noted:	Revise:	Delete:
Place an X in one of the following:	More Restrictive:	Less Restrictive:	Neither more nor less:	
Index keywords:				
<b>COMMENT : TSD Analysis</b>				
Name: Date:				
Comments/Findings:				
Place an X in one of the following:	Retain as is:	Update as noted:	Revise:	Delete:
Place an X in one of the following:	More Restrictive:	Less Restrictive:	Neither more nor less:	



Code Comment Form

<b>Article 90 Introduction</b>				
<i>No San Francisco Electrical Code Amendments.</i>				
<b>COMMENT 1: Retain as is</b>				
Name: Gary Clifton Date: 4/15/22				
Comments/Findings:				
Place an X in one of the following:	Retain as is:	Update as noted:	Revise:	Delete:
	x			
Place an X in one of the following:	More Restrictive:	Less Restrictive:	Neither more nor less:	
			x	
<b>COMMENT 2:</b>				
Name: Date:				
Comments/Findings:				
Place an X in one of the following:	Retain as is:	Update as noted:	Revise:	Delete:
Place an X in one of the following:	More Restrictive:	Less Restrictive:	Neither more nor less:	
Index keywords:				
<b>COMMENT : TSD Analysis</b>				
Name: Date:				
Comments/Findings:				
Place an X in one of the following:	Retain as is:	Update as noted:	Revise:	Delete:
Place an X in one of the following:	More Restrictive:	Less Restrictive:	Neither more nor less:	

Code Comment Form

<b>Chapter 1 Article 110 Requirements for Electrical Installations</b>				
110.15 & 110.26 (B)				
<b>COMMENT 1: Retain as is</b>				
Name: Gary Clifton Date: 4/15/22				
Comments/Findings:				
Place an X in one of the following:	Retain as is:	Update as noted:	Revise:	Delete:
	x			
Place an X in one of the following:	More Restrictive:	Less Restrictive:	Neither more nor less:	
			x	
<b>COMMENT 2:</b>				
Name: Date:				
Comments/Findings:				
Place an X in one of the following:	Retain as is:	Update as noted:	Revise:	Delete:
Place an X in one of the following:	More Restrictive:	Less Restrictive:	Neither more nor less:	
Index keywords:				
<b>COMMENT : TSD Analysis</b>				
Name: Date:				
Comments/Findings:				
Place an X in one of the following:	Retain as is:	Update as noted:	Revise:	Delete:
Place an X in one of the following:	More Restrictive:	Less Restrictive:	Neither more nor less:	



Code Comment Form

<b>Chapter 1 Article 110 Requirements for Electrical Installations Section 110.26 (A) (3) Height of Working Space</b>				
<p><b>110.26 (A) (3) Height of Working Space.</b> The work space shall be clear and extend from the grade, floor, or platform to a height of 2.0 m (6 1/2 ft) or the height of the equipment, whichever is greater. Within the height requirements of this section, other equipment that is associated with the electrical installation and is located above or below the electrical equipment shall be permitted to extend not more than 150 mm (6 in.) beyond the front of the electrical equipment.</p> <p><b>Exception No. 4 2:</b> [Exception deleted by local amendment.]</p> <p><b>Exception No. 2 3:</b> Meters that are installed in meter sockets shall be permitted to extend beyond the other equipment. The meter socket shall be required to follow the rules of this section.</p> <p><b>Exception No. 3 1:</b> On battery systems mounted on open racks, the top clearance shall comply with 480.10(D).</p>				
<b>COMMENT 1: Update as noted</b>				
<p><b>Name:</b> Gary Clifton  <b>Date:</b> 4/15/22</p>				
<b>Comments/Findings: Exceptions have changed numbers, references updated</b>				
<b>Place an X in one of the following:</b>	<b>Retain as is:</b>	<b>Update as noted:</b>	<b>Revise:</b>	<b>Delete:</b>
		x		
<b>Place an X in one of the following:</b>	<b>More Restrictive:</b>	<b>Less Restrictive:</b>	<b>Neither more nor less:</b>	
			x	
<b>COMMENT 2:</b>				
<p><b>Name:</b>  <b>Date:</b></p>				
<b>Comments/Findings:</b>				
<b>Place an X in one of the following:</b>	<b>Retain as is:</b>	<b>Update as noted:</b>	<b>Revise:</b>	<b>Delete:</b>
<b>Place an X in one of the following:</b>	<b>More Restrictive:</b>	<b>Less Restrictive:</b>	<b>Neither more nor less:</b>	
<b>Index keywords:</b>				
<b>COMMENT : TSD Analysis</b>				
<p><b>Name:</b>  <b>Date:</b></p>				

<b>Comments/Findings:</b>				
<b>Place an X in one of the following:</b>	<b>Retain as is:</b>	<b>Update as noted:</b>	<b>Revise:</b>	<b>Delete:</b>
<b>Place an X in one of the following:</b>	<b>More Restrictive:</b>	<b>Less Restrictive:</b>	<b>Neither more nor less:</b>	

### Code Comment Form

Chapter 2 Wiring and Protection				
210.5(C)(1)(a), 215(C)(1)(a), 230.43, 230.56, 230.71(A), 250.50, 250.64(A), 250.64(B)				
<b>COMMENT 1: Retain as is</b>				
Name: Gary Clifton Date: 4/15/22				
Comments/Findings:				
Place an X in one of the following:	Retain as is:	Update as noted:	Revise:	Delete:
	x			
Place an X in one of the following:	More Restrictive:	Less Restrictive:	Neither more nor less:	
			x	
<b>COMMENT 2:</b>				
Name: Date:				
Comments/Findings:				
Place an X in one of the following:	Retain as is:	Update as noted:	Revise:	Delete:
Place an X in one of the following:	More Restrictive:	Less Restrictive:	Neither more nor less:	
Index keywords:				
<b>COMMENT : TSD Analysis</b>				
Name: Date:				
Comments/Findings:				
Place an X in one of the following:	Retain as is:	Update as noted:	Revise:	Delete:
Place an X in one of the following:	More Restrictive:	Less Restrictive:	Neither more nor less:	

Code Comment Form

<b>Chapter 3 Wiring Methods and Material Article 300 General Requirements for Wiring Methods and Materials Section 334.12 Uses Not Permitted</b>				
<b>334.12 Uses Not Permitted (A) Types NM and NMC</b>				
(11) In any nonresidential structure or occupancy.				
(12) In Common Areas of Multi-family Dwelling Units of Group R-1 and R-2 buildings of Type IIIA construction per the 2019 <del>2019</del> <b>2022</b> California Building Code 510.5				
(13) Nominal voltages above 120 volts to ground				
<b>COMMENT 1: Update as noted</b>				
<b>Name: Gary Clifton</b>				
<b>Date: 4/18/22</b>				
<b>Comments/Findings: Subsection has been added</b>				
<b>Place an X in one of the following:</b>	<b>Retain as is:</b>	<b>Update as noted:</b>	<b>Revise:</b>	<b>Delete:</b>
		x		
<b>Place an X in one of the following:</b>	<b>More Restrictive:</b>	<b>Less Restrictive:</b>	<b>Neither more nor less:</b>	
			x	
<b>COMMENT 2:</b>				
<b>Name:</b>				
<b>Date:</b>				
<b>Comments/Findings:</b>				
<b>Place an X in one of the following:</b>	<b>Retain as is:</b>	<b>Update as noted:</b>	<b>Revise:</b>	<b>Delete:</b>
<b>Place an X in one of the following:</b>	<b>More Restrictive:</b>	<b>Less Restrictive:</b>	<b>Neither more nor less:</b>	
<b>Index keywords:</b>				
<b>COMMENT : TSD Analysis</b>				
<b>Name:</b>				
<b>Date:</b>				
<b>Comments/Findings:</b>				
<b>Place an X in one of the following:</b>	<b>Retain as is:</b>	<b>Update as noted:</b>	<b>Revise:</b>	<b>Delete:</b>

Place an X in one of the following:	More Restrictive:	Less Restrictive:	Neither more nor less:

### Code Comment Form

Chapter 3 General Requirements for Wiring Methods and Materials				
300.3(C), 300.4(I), 300.37, 320.108, 330.108, 334.10, 340.10, 348.10, 350.10, 352.10, 355.10, 356.10, 358.10(D), 358.12, 362.10, & 378.12				
<b>COMMENT 1: 334.12 Uses Not Permitted on a separate form</b>				
Name: Gary Clifton Date: 4/15/22				
Comments/Findings:				
Place an X in one of the following:	Retain as is:	Update as noted:	Revise:	Delete:
	x			
Place an X in one of the following:	More Restrictive:	Less Restrictive:	Neither more nor less:	
			x	
<b>COMMENT 2:</b>				
Name: Date:				
Comments/Findings:				
Place an X in one of the following:	Retain as is:	Update as noted:	Revise:	Delete:
Place an X in one of the following:	More Restrictive:	Less Restrictive:	Neither more nor less:	
Index keywords:				
<b>COMMENT : TSD Analysis</b>				
Name: Date:				
Comments/Findings:				
Place an X in one of the following:	Retain as is:	Update as noted:	Revise:	Delete:
Place an X in one of the following:	More Restrictive:	Less Restrictive:	Neither more nor less:	



Code Comment Form

**ARTICLE 330 – METAL-CLAD CABLE: TYPE MC**

330.12 Revise item (1) as follows:

**330.12 Uses Not Permitted.** Type MC cable shall not be used under either of the following conditions:

(1) Where subject to physical damage

**Informational Note:** See the ~~2019~~ 2022 San Francisco Electrical Code Section 300.4 (I) Subject to Physical Damage.

...

**Exception:** Type MC Cable #4 AWG or larger, installed in a lockable room dedicated solely to an electrical service and distribution equipment and accessible only to qualified personnel, shall be considered to have equivalent protection from physical damage when installed in a neat and workman like manner, properly supported, and securely fastened in place.

**COMMENT 1:**

Name:

Date: 4/15/22

Comments/Findings: update year

Place an X in one of the following:	Retain as is:	Update as noted:	Revise:	Delete:
	x			
Place an X in one of the following:	More Restrictive:	Less Restrictive:	Neither more nor less:	
			x	

**COMMENT 2:**

Name:

Date:

Comments/Findings:

Place an X in one of the following:	Retain as is:	Update as noted:	Revise:	Delete:
Place an X in one of the following:	More Restrictive:	Less Restrictive:	Neither more nor less:	

Index keywords:

**COMMENT :** TSD Analysis

Name:

Date:



<b>Comments/Findings:</b>				
<b>Place an X in one of the following:</b>	<b>Retain as is:</b>	<b>Update as noted:</b>	<b>Revise:</b>	<b>Delete:</b>
<b>Place an X in one of the following:</b>	<b>More Restrictive:</b>	<b>Less Restrictive:</b>	<b>Neither more nor less:</b>	

### Code Comment Form

Chapter 4 Equipment for General Use Article 410 Luminaires (Lighting Fixtures) Lampholders, and Lamps Section 410.36 (B) Suspended Ceilings				
410.36(B), 411.5				
<b>COMMENT 1: Retain as is</b>				
Name: Gary Clifton Date: 4/18/22				
Comments/Findings: No Change				
Place an X in one of the following:	Retain as is:	Update as noted:	Revise:	Delete:
	x			
Place an X in one of the following:	More Restrictive:	Less Restrictive:	Neither more nor less:	
			x	
<b>COMMENT 2:</b>				
Name: Date:				
Comments/Findings:				
Place an X in one of the following:	Retain as is:	Update as noted:	Revise:	Delete:
Place an X in one of the following:	More Restrictive:	Less Restrictive:	Neither more nor less:	
Index keywords:				
<b>COMMENT : TSD Analysis</b>				
Name: Date:				
Comments/Findings:				
Place an X in one of the following:	Retain as is:	Update as noted:	Revise:	Delete:
Place an X in one	More Restrictive:	Less Restrictive:	Neither more nor less:	

<b>of the following:</b>			
--------------------------	--	--	--

### Code Comment Form

Chapter 5 Special Occupancies				
<i>No San Francisco Electrical Code Amendments.</i>				
<b>COMMENT 1: Retain as is</b>				
Name: Gary Clifton Date: 4/18/22				
Comments/Findings:				
Place an X in one of the following:	Retain as is:	Update as noted:	Revise:	Delete:
	x			
Place an X in one of the following:	More Restrictive:	Less Restrictive:	Neither more nor less:	
			x	
<b>COMMENT 2:</b>				
Name: Date:				
Comments/Findings:				
Place an X in one of the following:	Retain as is:	Update as noted:	Revise:	Delete:
Place an X in one of the following:	More Restrictive:	Less Restrictive:	Neither more nor less:	
Index keywords:				
<b>COMMENT : TSD Analysis</b>				
Name: Date:				
Comments/Findings:				
Place an X in one of the following:	Retain as is:	Update as noted:	Revise:	Delete:
Place an X in one of the following:	More Restrictive:	Less Restrictive:	Neither more nor less:	

Code Comment Form

Chapter 6 Special Equipment				
<i>No San Francisco Electrical Code Amendments.</i>				
<b>COMMENT 1: Retain as is</b>				
Name: Gary Clifton Date: 4/18/22				
Comments/Findings:				
Place an X in one of the following:	Retain as is:	Update as noted:	Revise:	Delete:
	x			
Place an X in one of the following:	More Restrictive:	Less Restrictive:	Neither more nor less:	
			x	
<b>COMMENT 2:</b>				
Name: Date:				
Comments/Findings:				
Place an X in one of the following:	Retain as is:	Update as noted:	Revise:	Delete:
Place an X in one of the following:	More Restrictive:	Less Restrictive:	Neither more nor less:	
Index keywords:				
<b>COMMENT : TSD Analysis</b>				
Name: Date:				
Comments/Findings:				
Place an X in one of the following:	Retain as is:	Update as noted:	Revise:	Delete:
Place an X in one of the following:	More Restrictive:	Less Restrictive:	Neither more nor less:	

Code Comment Form

<b>Chapter 7 Special Conditions Article 700 Emergency Systems Section 700.12 (I) (2) Installation of Unit Equipment.</b>				
<i>700.12(I)(2) Revise item (2) and (5) of this section as follows:</i>				
<b>700.12(F) (I) (2) Installation of Unit Equipment.</b> Unit equipment shall be installed in accordance with 700.12(F)(2)(1) through (6). <b>the following:</b>				
(2) Unit equipment shall be permanently fixed (i.e., not portable) in place and shall have all wiring to each unit installed in accordance with the requirements of any of the wiring methods in Chapter 3. Flexible cord-and-plug connection <b>shall not be permitted.</b>				
(5) Emergency luminaires ( <b>illumination fixtures</b> ) that obtain power from a unit equipment and are not part of the unit equipment shall be wired to the unit equipment as required by 700.10 and by one of the wiring methods of Chapter 3.				
<b>COMMENT 1: Update as noted Note: 700.12 (I)--THIS IS THE LETTER I (2)</b>				
Name: Gary Clifton Date: 4/18/22				
<b>Comments/Findings: Code section has changed and wording has changed</b>				
Place an X in one of the following:	Retain as is:	Update as noted:	Revise:	Delete:
		x		
Place an X in one of the following:	More Restrictive:	Less Restrictive:	Neither more nor less:	
			x	
<b>COMMENT 2:</b>				
Name: Date:				
<b>Comments/Findings:</b>				
Place an X in one of the following:	Retain as is:	Update as noted:	Revise:	Delete:
Place an X in one of the following:	More Restrictive:	Less Restrictive:	Neither more nor less:	
Index keywords:				
<b>COMMENT : TSD Analysis</b>				
Name: m.yu Date:				

**Comments/Findings:**

~~700.12(F)(2)~~ 700.12(I)(2) Revise item (2) and (5) of this section as follows:

~~700.12(F)(2)~~ **700.12(I)(2) Installation of Unit Equipment.** Unit equipment shall be installed in accordance with ~~700.12(F)(2)(1) through (6)~~. the following:

(2) Unit equipment shall be permanently fixed (i.e., not portable) in place and shall have all wiring to each unit installed in accordance with the requirements of any of the wiring methods in Chapter 3. Flexible cord-and-plug connection shall not be permitted [ ← ].

(5) Emergency luminaires (illumination fixtures) that obtain power from a unit equipment and are not part of the unit equipment shall be wired to the unit equipment as required by 700.10 and by one of the wiring methods of Chapter 3.

<b>Place an X in one of the following:</b>	<b>Retain as is:</b>	<b>Update as noted:</b>	<b>Revise:</b>	<b>Delete:</b>
		x		
<b>Place an X in one of the following:</b>	<b>More Restrictive:</b>	<b>Less Restrictive:</b>	<b>Neither more nor less:</b>	

Code Comment Form

<b>Chapter 7 Article 700 Emergency Systems Section 700.16 Emergency Illumination</b>				
<i>700.16 Revise the first paragraph of this section as follows:</i>				
<b>700.16 Emergency Illumination</b>				
<b>(A) General.</b> Emergency Illumination. Emergency illumination shall include means of egress lighting, illuminated exit signs, and all other luminaires specified as necessary to provide required illumination. <b>Emergency illumination shall be provided at the location of transfer switches, switchboards and panelboards that supply emergency and legally required stand-by loads.</b>				
<b>COMMENT 1: Update as noted</b>				
<b>Name:</b> Gary Clifton <b>Date:</b> 4/18/22				
<b>Comments/Findings:</b> Code section has changed and wording has changed				
<b>Place an X in one of the following:</b>	<b>Retain as is:</b>	<b>Update as noted:</b>	<b>Revise:</b>	<b>Delete:</b>
		x		
<b>Place an X in one of the following:</b>	<b>More Restrictive:</b>	<b>Less Restrictive:</b>	<b>Neither more nor less:</b>	
			x	
<b>COMMENT 2: NFPA divided section to A,B... rather than full paragraph</b>				
<b>Name:</b> M.yu <b>Date:</b>				
<b>Comments/Findings:</b> <i>700.16 Revise the first paragraph of this section as follows: 700.16(A) Revise this section as follows:</i> <b>700.16 700.16(A) Emergency Illumination.</b> Emergency illumination shall include means of egress lighting, illuminated exit signs, and all other luminaires specified as necessary to provide required illumination. Emergency illumination shall be provided at the location of transfer switches, switchboards and panelboards that supply emergency and legally required stand-by loads.				
<b>Place an X in one of the following:</b>	<b>Retain as is:</b>	<b>Update as noted:</b>	<b>Revise:</b>	<b>Delete:</b>
<b>Place an X in one of the following:</b>	<b>More Restrictive:</b>	<b>Less Restrictive:</b>	<b>Neither more nor less:</b>	
<b>Index keywords:</b>				
<b>COMMENT : TSD Analysis</b>				
<b>Name:</b> <b>Date:</b>				



<b>Comments/Findings:</b>				
<b>Place an X in one of the following:</b>	<b>Retain as is:</b>	<b>Update as noted:</b>	<b>Revise:</b>	<b>Delete:</b>
<b>Place an X in one of the following:</b>	<b>More Restrictive:</b>	<b>Less Restrictive:</b>	<b>Neither more nor less:</b>	

### Code Comment Form

Chapter 7 Article 760 Fire Alarm Systems				
760.46, 760.130(A) & (B), & 760.180				
<b>COMMENT 1: Retain as is</b>				
Name: Gary Clifton Date: 4/18/22				
Comments/Findings:				
Place an X in one of the following:	Retain as is:	Update as noted:	Revise:	Delete:
	x			
Place an X in one of the following:	More Restrictive:	Less Restrictive:	Neither more nor less:	
			x	
<b>COMMENT 2:</b>				
Name: Date:				
Comments/Findings:				
Place an X in one of the following:	Retain as is:	Update as noted:	Revise:	Delete:
Place an X in one of the following:	More Restrictive:	Less Restrictive:	Neither more nor less:	
Index keywords:				
<b>COMMENT : TSD Analysis</b>				
Name: Date:				
Comments/Findings:				
Place an X in one of the following:	Retain as is:	Update as noted:	Revise:	Delete:
Place an X in one of the following:	More Restrictive:	Less Restrictive:	Neither more nor less:	